Convection Initiation and Moist Thermodynamic in the Planetary Boundary Layer: A Sounding Study of Tropical Storm Cindy by HAMSR


Sun Wong and Bjorn Lambrigtsen

JPL/California Institute of Technology

Sounding Science Team Meeting (Maryland, 2018 October)

© 2018 California Institute of Technology Government sponsorship acknowledged

CIN-Controlled Convection Initiation (Mapes JAS 2000)



- A wave propagates to a region
- Lower tropospheric
 T cooled, congesti form
- CIN reduced, triggerring deep convection

Description of Moisture Transport

$$P - E + \frac{\partial Q}{\partial t} = -Q\nabla \cdot \mathbf{V} - \mathbf{V} \cdot \nabla Q$$
QCNVG

Where

$$Q = \int_{ptop}^{psrf} q \frac{dp}{g}$$
 Use MERRA2 for the computation

$$\boldsymbol{V} = \frac{1}{Q} \int_{ptop}^{psrf} (q\boldsymbol{v}) \frac{dp}{g}$$


P: Precipitation

E: Evaporation


q: Specific humidity


p: Pressure altitude

(Wong et al. 2016 J. Climate)





 QADVT indicates region of preconditioning for development of deep convection








MODIS Anvil Cloud Top Temperatures with ECMWF Sea-Level Pressure (Courtesy of Terry Kubar)















Conclusions:

- Large moist advection $(-\mathbf{V}\cdot\nabla\mathbf{Q})$ signifies preconditioning and forebode the upcoming occurrence of deep convection
- Convection inhibition decreases with increasing moisture loading during the preconditioning period ($-\mathbf{V}\cdot\nabla\mathbf{Q} > 15$ mm/day)
- Moist anomalies in the PBL propagate upward to mid-troposphere when Q \sim 50-60 mm
- Cooling at the top of PBL propagate downward to the surface when Q \sim 50-60mm
- Fluctuations of θ_{e} in the PBL are enhanced when precipitation begins



• θ_e histograms spread in the PBL in the raining regime. Contours of both high and low values shift to more extreme values

